

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LAFAYETTE

[County Base Map](#)

(Records are Sorted by Township, Range, and Section)

LOG ID:
009451

WELL TYPE
Private Well

DRILL DATE: 1946/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 788FT

DRILL DEPTH: 615FT

48N 24W 1

UTM X UTM Y
455,648.84 4,314,731.96
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: IN CONCORDIA

S.W.L. (AFTER CASING):

LOG ID:
014508

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1956/05/04

TOWNSHIP RANGE SECTION

ELEVATION: 724FT

DRILL DEPTH: 335FT

48N 24W 1

UTM X UTM Y
456,948.84 4,314,732.01
ZONE 15

DEPTH TO BED: 130FT

S.W.L. (BEFORE CASING): FT

REMARKS: 0.5 MI N OF EMMA, 0.5 MI S OF HWY 40

S.W.L. (AFTER CASING): 30

LOG ID:
008469

WELL TYPE
Private Well

DRILL DATE: 1943/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 728FT

DRILL DEPTH: 387FT

48N 24W 12

UTM X UTM Y
456,763.84 4,313,156.94
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

REMARKS: 0.25 MI SW OF EMMA

S.W.L. (AFTER CASING): 12

LOG ID:
015522

WELL TYPE
Private Well

DRILL DATE: 1956/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 779FT

DRILL DEPTH: 485FT

48N 24W 18

UTM X UTM Y
448,431.80 4,312,571.61
ZONE 15

DEPTH TO BED: 130FT

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008474

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1943/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	760FT
<u>DRILL DEPTH:</u>	495FT	48N	24W	23		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	3 MI SW OF EMMA			
<u>S.W.L. (AFTER CASING):</u>	60				454,366.82	4,310,669.76
					ZONE 15	

LOG ID:
000364

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	794FT
<u>DRILL DEPTH:</u>	532FT	48N	24W	4		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	DEEPENED IN 1941 TO 567' (#6917) SEE #6917 FOR COMPLETE LOG			
<u>S.W.L. (AFTER CASING):</u>					450,700.81	4,315,034.77
					ZONE 15	

LOG ID:
006917

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1924/04/07	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	794FT
<u>DRILL DEPTH:</u>	567FT	48N	24W	4		
<u>DEPTH TO BED:</u>	20FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	OLD WELL (#364) DEEPENED 632-567'; ACROSS ST FROM MO PAC DEPOT			
<u>S.W.L. (AFTER CASING):</u>					450,700.81	4,315,034.77
					ZONE 15	

LOG ID:
008978

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1945/11/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	800FT
<u>DRILL DEPTH:</u>	565FT	48N	24W	5		
<u>DEPTH TO BED:</u>					<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	SOUTH OF RR			
<u>S.W.L. (AFTER CASING):</u>	121				450,438.81	4,314,907.76
					ZONE 15	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011589**WELL TYPE

Community Public Well

DRILL DATE: 1951/08/04TOWNSHIPRANGESECTIONELEVATION:

797FT

DRILL DEPTH: 575FT

48N

24W

5

DEPTH TO BED: 20FTUTM XUTM Y

450,238.81

4,315,115.76

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1000' W OF WELL #2 (#8978)S.W.L. (AFTER CASING): 130**LOG ID:****005710**WELL TYPE

Private Well

DRILL DATE: 1939/10/01TOWNSHIPRANGESECTIONELEVATION:

828FT

DRILL DEPTH: 575FT

48N

25W

18

DEPTH TO BED: 15FTUTM XUTM Y

437,688.75

4,311,849.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: RT 5, HIGGINSVILLE; GAS @ 200'
Driller's Log AttachedS.W.L. (AFTER CASING): 144**LOG ID:****015019**WELL TYPE

Private Well

DRILL DATE: 1956/10/14TOWNSHIPRANGESECTIONELEVATION:

840FT

DRILL DEPTH: 617FT

48N

25W

23

DEPTH TO BED: 5FTUTM XUTM Y

444,914.78

4,311,008.44

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: RFD, CONCORDIA; DRILLERS LOG 0=340', SAMPLE 340=TDS.W.L. (AFTER CASING): 130**LOG ID:****017043**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1958/02/11TOWNSHIPRANGESECTIONELEVATION:

756FT

DRILL DEPTH: 516FT

48N

25W

23

DEPTH TO BED: 15FTUTM XUTM Y

445,314.79

4,309,556.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ERNESTVILLES.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022516

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1964/01/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	780FT
<u>DRILL DEPTH:</u>	260FT	48N	25W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				446,729.79	4,310,354.49
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	5 MI SW OF CONCORDIA; NO PRODUCTION OR CONSTRUCTION DATA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
001840

WELL TYPE
Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	820FT
<u>DRILL DEPTH:</u>	310FT	48N	26W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				435,153.74	4,311,876.11
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	CHURN DRILL HOLE			
<u>S.W.L. (AFTER CASING):</u>			DRILLER'S LOG ONLY			

LOG ID:
023167

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1960/09/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	839FT
<u>DRILL DEPTH:</u>	370FT	48N	26W	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	26FT				436,608.75	4,310,812.14
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	14					

LOG ID:
027012

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1968/09/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	812FT
<u>DRILL DEPTH:</u>	170FT	48N	26W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				429,101.78	4,314,893.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of George W. Parker - 0.25 MI W OF HWY H, 1.5 MI S OF I-70 (US HWY 40)			
<u>S.W.L. (AFTER CASING):</u>	29					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015052**WELL TYPE

Private Well

DRILL DATE: 1956/06/06TOWNSHIP RANGE SECTION

48N

27W

16

ELEVATION: 880FTDRILL DEPTH: 150FTUTM X UTM YDEPTH TO BED: 25FT422,843.85 4,312,824.04
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****013574**WELL TYPE

Private Well

DRILL DATE: 1955/06/07TOWNSHIP RANGE SECTION

48N

27W

18

ELEVATION: 949FTDRILL DEPTH: 360FTUTM X UTM YDEPTH TO BED: 15FT418,357.88 4,313,319.02
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 2 MI S, 1 MI E OF ODESSA; PLUGGED BACK TO 300'S.W.L. (AFTER CASING): 60**LOG ID:****000460**WELL TYPE

Private Well

DRILL DATE: 1890/00/00TOWNSHIP RANGE SECTION

48N

28W

3

ELEVATION: 872FTDRILL DEPTH: 102FTUTM X UTM YDEPTH TO BED: 12FT414,464.89 4,316,788.03
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PLUGGED IN 1935; NOTEBOOK #52, P. 15.
DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****006372**WELL TYPE

Private Well

DRILL DATE: 1940/09/19TOWNSHIP RANGE SECTION

48N

28W

32

ELEVATION: 896FTDRILL DEPTH: 662FTUTM X UTM YDEPTH TO BED: 15FT411,127.01 4,308,765.94
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 1 MI E OF CHAPEL HILL; DEEPENED FROM 650' IN 1942
Driller's Log AttachedS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017045**WELL TYPE

Private Well

DRILL DATE: 1957/09/01TOWNSHIP RANGE SECTION

48N

28W

4

ELEVATION: 840FTDRILL DEPTH: 235FTUTM XUTM Y412,456.92 4,316,434.02
ZONE 15DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: "CAN'T LOCATE"S.W.L. (AFTER CASING):**LOG ID:****019347**WELL TYPE

Oil Well

DRILL DATE: 1960/10/26TOWNSHIP RANGE SECTION

48N

28W

8

ELEVATION: 780FTDRILL DEPTH: 880FTUTM XUTM Y410,344.97 4,314,896.00
ZONE 15DEPTH TO BED: 20FTS.W.L. (BEFORE CASING):REMARKS: #1 DAHLOR - ROTARY TOOLSS.W.L. (AFTER CASING):**LOG ID:****002990**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTION

49N

24W

13

ELEVATION: 768FTDRILL DEPTH: 880FTUTM XUTM Y456,653.85 4,321,099.20
ZONE 15DEPTH TO BED: 195FTS.W.L. (BEFORE CASING):REMARKS: 5.5 MI NE OF CONCORDIA; ONE SAMPLE LOGGED EVERY 50 FT;
NO TOPSS.W.L. (AFTER CASING):**LOG ID:****005795**WELL TYPE

Private Well

DRILL DATE: 1939/11/01TOWNSHIP RANGE SECTION

49N

24W

27

ELEVATION: 710FTDRILL DEPTH: 380FTUTM XUTM Y452,467.82 4,317,350.92
ZONE 15DEPTH TO BED: 15FTS.W.L. (BEFORE CASING):REMARKS: 1 MI N, 1 MI E OF CONCORDIA; FLOWSS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024911**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1967/03/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	812FT
<u>DRILL DEPTH:</u>	531FT	49N	24W	31	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				448,047.80	4,315,980.69
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	NO RESIDUES			
<u>S.W.L. (AFTER CASING):</u>	130					

LOG ID:**006001**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/04/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	762FT
<u>DRILL DEPTH:</u>	465FT	49N	24W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				453,203.83	4,315,713.90
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1.5 MI E OF CONCORDIA ON HWY 40			
<u>S.W.L. (AFTER CASING):</u>	60					

LOG ID:**008475**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1943/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	705FT
<u>DRILL DEPTH:</u>	367FT	49N	24W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					454,862.84	4,317,082.02
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	3.5 MI NW OF EMMA			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**006401**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/07/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	757FT
<u>DRILL DEPTH:</u>	480FT	49N	25W	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				437,805.75	4,319,508.38
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	55					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005984**WELL TYPE

Private Well

DRILL DATE: 1940/04/18TOWNSHIPRANGESECTIONELEVATION:

775FT

DRILL DEPTH: 320FT

49N

25W

21

DEPTH TO BED: 15FTUTM XUTM Y

441,276.77

4,320,663.57

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 76**LOG ID:****013980**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1955/09/05TOWNSHIPRANGESECTIONELEVATION:

747FT

DRILL DEPTH: 225FT

49N

25W

24

DEPTH TO BED: 20FTUTM XUTM Y

445,944.79

4,320,134.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****023682**WELL TYPE

Private Well

DRILL DATE: 1950/03/09TOWNSHIPRANGESECTIONELEVATION:

812FT

DRILL DEPTH: 365FT

49N

25W

27

DEPTH TO BED: 70FTUTM XUTM Y

443,115.77

4,317,965.54

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: FEW SAMPLES LOGGEDS.W.L. (AFTER CASING):**LOG ID:****000322**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

723FT

DRILL DEPTH: 314FT

49N

25W

28

DEPTH TO BED: 30FTUTM XUTM Y

441,502.76

4,318,951.51

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR DEPOT IN AULLVILLES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018675**WELL TYPE

Private Well

DRILL DATE: 1957/07/30TOWNSHIP RANGE SECTION

49N

25W

31

ELEVATION: 752FTDRILL DEPTH: 285FTDEPTH TO BED: 35FTUTM XUTM Y

438,471.74

4,317,756.34

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ESTIMATED TOP OF MISS @ 315'S.W.L. (AFTER CASING):**LOG ID:****020709**WELL TYPE

Private Well

DRILL DATE: 1962/02/12TOWNSHIP RANGE SECTION

49N

25W

33

ELEVATION: 840FTDRILL DEPTH: 370FTDEPTH TO BED: 5FTUTM XUTM Y

442,329.76

4,316,186.46

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****005860**WELL TYPE

Private Well

DRILL DATE: 1940/00/00TOWNSHIP RANGE SECTION

49N

25W

35

ELEVATION: 825FTDRILL DEPTH: 465FTDEPTH TO BED: 15FTUTM XUTM Y

445,153.78

4,317,101.60

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: RR, HIGGINSVILLES.W.L. (AFTER CASING): 150**LOG ID:****021991**WELL TYPE

Private Well

DRILL DATE: 1963/03/27TOWNSHIP RANGE SECTION

49N

25W

36

ELEVATION: 797FTDRILL DEPTH: 555FTDEPTH TO BED: 30FTUTM XUTM Y

446,801.79

4,316,250.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NEAR SWEET SPRINGSS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
001561

WELL TYPE
Unknown Well

DRILL DATE: 1902/00/00

TOWNSHIP RANGE SECTION
49N 25W 6

ELEVATION: 817FT

DRILL DEPTH: 1,512FT

UTM X UTM Y
438,020.77 4,325,820.64
ZONE 15

DEPTH TO BED: 70FT

S.W.L. (BEFORE CASING):

REMARKS: MINERALIZED WATER, NEAR MO-PAC DEPOT ; NOT SURE OF
PURPOSE

S.W.L. (AFTER CASING):

LOG ID:
001826

WELL TYPE
Community Public Well

DRILL DATE:

TOWNSHIP RANGE SECTION
49N 25W 6

ELEVATION: 804FT

DRILL DEPTH: 830FT

UTM X UTM Y
438,020.77 4,325,188.61
ZONE 15

DEPTH TO BED: 43FT

S.W.L. (BEFORE CASING):

REMARKS: DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:
019508

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1960/12/01

TOWNSHIP RANGE SECTION
49N 26W 24

ELEVATION: 833FT

DRILL DEPTH: 277FT

UTM X UTM Y
436,155.74 4,319,789.32
ZONE 15

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

REMARKS: @ HIGGINSVILLE

S.W.L. (AFTER CASING):

LOG ID:
023552

WELL TYPE
Private Well

DRILL DATE: 1965/06/28

TOWNSHIP RANGE SECTION
49N 26W 36

ELEVATION: 810FT

DRILL DEPTH: 325FT

UTM X UTM Y
436,834.73 4,317,380.25
ZONE 15

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

REMARKS: 5 MI S OF HIGGINSVILLE

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019619

WELL TYPE
Community Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 935FT
49N 27W 13
DRILL DEPTH: 500FT UTM X UTM Y
DEPTH TO BED: 427,636.81 4,322,544.32
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: HIGH CHLORIODS; WELL PLUGGED, SAND TO 350', CEMENT
S.W.L. (AFTER CASING): 350'-SURFACE

LOG ID:
015051

WELL TYPE
Private Well

DRILL DATE: 1956/06/16 TOWNSHIP RANGE SECTION ELEVATION: 862FT
49N 27W 2
DRILL DEPTH: 137FT UTM X UTM Y
DEPTH TO BED: 80FT 425,192.85 4,325,566.41
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
000324

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 958FT
49N 27W 30
DRILL DEPTH: 202FT UTM X UTM Y
DEPTH TO BED: 17FT 419,439.86 4,319,372.14
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 0.75 NE OF ODESSA
S.W.L. (AFTER CASING): DRILLER'S LOG ONLY

LOG ID:
005440

WELL TYPE
Private Well

DRILL DATE: 1938/09/01 TOWNSHIP RANGE SECTION ELEVATION: 811FT
49N 28W 11
DRILL DEPTH: 465FT UTM X UTM Y
DEPTH TO BED: 415,867.93 4,325,063.29
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 5 MI S OF WELLINGTON ON ODESSA RD, E OF RD, 0.5 MI E OF
S.W.L. (AFTER CASING): HOUSE



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014796**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956/04/14TOWNSHIP RANGE SECTIONELEVATION: 830FTDRILL DEPTH: 360FT

49N

28W

15

UTM XUTM YDEPTH TO BED:414,570.92 4,322,514.20
ZONE 15S.W.L. (BEFORE CASING):REMARKS: ELEVATION BETWEEN 795 & 830'; COULDN'T LOCATES.W.L. (AFTER CASING):**LOG ID:****024129**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1965//TOWNSHIP RANGE SECTIONELEVATION: 874FTDRILL DEPTH: 410FT

49N

28W

34

UTM XUTM YDEPTH TO BED: 20FT414,202.89 4,318,218.07
ZONE 15S.W.L. (BEFORE CASING):REMARKS: WEIGH STATION @ ODESSAS.W.L. (AFTER CASING):**LOG ID:****002099**WELL TYPE

Private Well

DRILL DATE: 1919/12/23TOWNSHIP RANGE SECTIONELEVATION: 788FTDRILL DEPTH: 417FT

49N

29W

1

UTM XUTM YDEPTH TO BED:408,633.04 4,326,392.25
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 5 MI S OF NAPOLEON ON S SD SNIABAR CREEK
DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****003000**WELL TYPE

Private Well

DRILL DATE: 1920/02/00TOWNSHIP RANGE SECTIONELEVATION: 760FTDRILL DEPTH: 84FT

49N

29W

1

UTM XUTM YDEPTH TO BED: 18FT408,433.05 4,325,998.23
ZONE 15S.W.L. (BEFORE CASING):REMARKS: ON E SD SNIABAR CRK NEAR MUTS MILL.
DRILLER'S LOG ONLYS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
009268

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1946/06/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	746FT
<u>DRILL DEPTH:</u>	440FT	50N	24W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				456,400.86	4,330,672.44
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ALMA, MO.			
<u>S.W.L. (AFTER CASING):</u>	60				ZONE 15	

LOG ID:
009131

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1946/04/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	797FT
<u>DRILL DEPTH:</u>	650FT	50N	24W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				452,726.84	4,327,970.24
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	110				ZONE 15	

LOG ID:
009256

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1946/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	786FT
<u>DRILL DEPTH:</u>	580FT	50N	24W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				449,596.83	4,326,248.08
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	CORDER, MO.			
<u>S.W.L. (AFTER CASING):</u>	100				ZONE 15	

LOG ID:
011659

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1951/09/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	765FT
<u>DRILL DEPTH:</u>	230FT	50N	24W	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				454,090.85	4,325,710.23
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1.5 MI E, 1 MI S OF ALMA - OIL & GAS TEST - DRY			
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003165**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

848FT

DRILL DEPTH:

955FT

50N

24W

36

DEPTH TO BED:

750FT

UTM XUTM Y

456,582.86

4,326,259.33

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****022296**WELL TYPE

Private Well

DRILL DATE:

1963/08/21

TOWNSHIPRANGESECTIONELEVATION:

832FT

DRILL DEPTH:

332FT

50N

25W

15

DEPTH TO BED:

40FT

UTM XUTM Y

443,211.81

4,330,716.01

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

153

LOG ID:**002056**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1908/00/00

TOWNSHIPRANGESECTIONELEVATION:

830FT

DRILL DEPTH:

1,557FT

50N

25W

19

DEPTH TO BED:

70FT

UTM XUTM Y

438,723.79

4,329,498.81

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "McCAUSLAND WELL", 2 MI N OF HIGGINSVILLE
DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****000393**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

855FT

DRILL DEPTH:

425FT

50N

25W

27

DEPTH TO BED:

40FT

UTM XUTM Y

444,385.81

4,328,216.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: W OF CORBER
DRILLER'S LOG ONLYS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005862**WELL TYPE

Private Well

DRILL DATE: 1939/11/10TOWNSHIP RANGE SECTION

50N 25W 33

ELEVATION: 859FTDRILL DEPTH: 365FTUTM X UTM YDEPTH TO BED: 20FT441,904.79 4,327,356.84
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: MINERAL WATERS.W.L. (AFTER CASING): 90**LOG ID:****005782**WELL TYPE

Private Well

DRILL DATE: 1939/10/01TOWNSHIP RANGE SECTION

50N 25W 34

ELEVATION: 890FTDRILL DEPTH: 450FTUTM X UTM YDEPTH TO BED: 50FT443,517.80 4,326,193.85
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 140**LOG ID:****019637**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTION

50N 26W 13

ELEVATION: 794FTDRILL DEPTH: 845FTUTM X UTM YDEPTH TO BED: 40FT437,423.79 4,331,287.84
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 MARGARET ADAMS - OIL & GAS TESTS.W.L. (AFTER CASING):**LOG ID:****006580**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:TOWNSHIP RANGE SECTION

50N 26W 29

ELEVATION: 781FTDRILL DEPTH:UTM X UTM YDEPTH TO BED:431,105.80 4,328,200.58
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO DATA GIVEN, NO SAMPLES LOGGED
DRILLER'S LOG ONLYS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
015544

WELL TYPE
Private Well

DRILL DATE: 1956/08/17 TOWNSHIP 50N RANGE 29W SECTION 23 ELEVATION: 785FT
DRILL DEPTH: 350FT UTM X 407,333.10 UTM Y 4,331,410.35
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Theodore & Allen Twente
S.W.L. (AFTER CASING):

LOG ID:
006070

WELL TYPE
Private Well

DRILL DATE: 1940/06/08 TOWNSHIP 50N RANGE 29W SECTION 26 ELEVATION: 840FT
DRILL DEPTH: 180FT UTM X 406,679.10 UTM Y 4,329,151.28
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 LOGS
S.W.L. (AFTER CASING): 75

LOG ID:
024568

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1966/11/07 TOWNSHIP 51N RANGE 24W SECTION 13 ELEVATION: 666FT
DRILL DEPTH: 50FT UTM X 457,676.88 UTM Y 4,341,195.74
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: RIVER PROFILE STUDY
S.W.L. (AFTER CASING): 9

LOG ID:
011152

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1949/11/22 TOWNSHIP 51N RANGE 24W SECTION 22 ELEVATION: 768FT
DRILL DEPTH: 140FT UTM X 454,541.87 UTM Y 4,339,262.62
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 0.5 MI S OF HWY 24 IN W PART OF WAVERLY
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006474**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1940/00/00 TOWNSHIP 51N RANGE 24W SECTION 23 ELEVATION: 801FT
DRILL DEPTH: 112FT UTM X 455,369.87 UTM Y 4,339,697.65
DEPTH TO BED: 110FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 50' E OF SCHOOL WELL; "MAY BE BOULDER IN DRIFT"
S.W.L. (AFTER CASING):

LOG ID:**011150**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1949/10/01 TOWNSHIP 51N RANGE 24W SECTION 23 ELEVATION: 790FT
DRILL DEPTH: 142FT UTM X 455,169.87 UTM Y 4,339,697.65
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ON MAIN ST 2 BLKS S OF HWY 24
S.W.L. (AFTER CASING):

LOG ID:**011154**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1949/10/01 TOWNSHIP 51N RANGE 24W SECTION 23 ELEVATION: 806FT
DRILL DEPTH: 155FT UTM X 455,569.87 UTM Y 4,339,593.65
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ON MAIN ST 3 BLKS S OF HWY 24 ON E SD
S.W.L. (AFTER CASING):

LOG ID:**011340**WELL TYPE

Community Public Well

DRILL DATE: 1949/12/06 TOWNSHIP 51N RANGE 24W SECTION 23 ELEVATION: 800FT
DRILL DEPTH: 169FT UTM X 456,369.88 UTM Y 4,339,071.66
DEPTH TO BED: 160FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011347**WELL TYPE

Community Public Well

DRILL DATE: 1950/00/00TOWNSHIP RANGE SECTIONELEVATION: 811FTDRILL DEPTH: 126FT

51N 24W 23

DEPTH TO BED:UTM X UTM Y
456,169.88 4,339,489.67
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 0.5 MI E OF WAVERLYS.W.L. (AFTER CASING):**LOG ID:****012630**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1953/11/19TOWNSHIP RANGE SECTIONELEVATION: 780FTDRILL DEPTH: 163FT

51N 24W 23

DEPTH TO BED: 115FTUTM X UTM Y
456,169.88 4,338,861.65
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 0.5 MI S OF HWY 24S.W.L. (AFTER CASING):**LOG ID:****012631**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1953/11/25TOWNSHIP RANGE SECTIONELEVATION: 805FTDRILL DEPTH: 160FT

51N 24W 24

DEPTH TO BED: 10FTUTM X UTM Y
456,795.88 4,339,080.67
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: TEST HOLE #2, 1 M I E OF WAVERLYS.W.L. (AFTER CASING): 60**LOG ID:****012797**WELL TYPE

Community Public Well

DRILL DATE: 1954/05/05TOWNSHIP RANGE SECTIONELEVATION: 800FTDRILL DEPTH: 137FT

51N 24W 24

DEPTH TO BED:UTM X UTM Y
456,793.88 4,339,133.67
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI E OF CITY LIMITS, ON DR. MOORE'S LANDS.W.L. (AFTER CASING): 81



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015584**WELL TYPE

Private Well

DRILL DATE: 1956/10/15TOWNSHIP RANGE SECTION

51N 24W 26

ELEVATION: 796FTDRILL DEPTH: 110FTUTM X UTM Y456,310.87 4,337,660.62
ZONE 15DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****024521**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1966/07/11TOWNSHIP RANGE SECTION

51N 25W 11

ELEVATION: 675FTDRILL DEPTH: 37FTUTM X UTM Y445,961.85 4,341,955.48
ZONE 15DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: RIVER PROFILE STUDYS.W.L. (AFTER CASING):**LOG ID:****019177**WELL TYPE

Private Well

DRILL DATE: 1960/04/01TOWNSHIP RANGE SECTION

51N 25W 13

ELEVATION: 865FTDRILL DEPTH: 885FTUTM X UTM Y446,940.85 4,341,684.49
ZONE 15DEPTH TO BED: 425FTS.W.L. (BEFORE CASING):REMARKS: 7 MI W OF WAVERLYS.W.L. (AFTER CASING):**LOG ID:****020290**WELL TYPE

Private Well

DRILL DATE: 1961/00/00TOWNSHIP RANGE SECTION

51N 25W 26

ELEVATION: 900FTDRILL DEPTH: 122FTUTM X UTM Y446,157.84 4,338,357.36
ZONE 15DEPTH TO BED: 105FTS.W.L. (BEFORE CASING):REMARKS: 3 MI E OF DOVERS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010176

WELL TYPE
Private Well

DRILL DATE: 1948/07/01

TOWNSHIP RANGE SECTION

ELEVATION: 768FT

DRILL DEPTH: 145FT

51N 26W 31

DEPTH TO BED:

UTM X UTM Y
429,282.87 4,336,589.88
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: "CAN'T LOCATE"

S.W.L. (AFTER CASING): 97

LOG ID:
013277

WELL TYPE
Oil Well

DRILL DATE: 1955/01/20

TOWNSHIP RANGE SECTION

ELEVATION: 823FT

DRILL DEPTH: 485FT

51N 26W 32

DEPTH TO BED: 130FT

UTM X UTM Y
431,621.84 4,336,894.94
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: HOLE PLUGGED BACK AND USED AS WATER WELL

S.W.L. (AFTER CASING):

LOG ID:
019033

WELL TYPE
Private Well

DRILL DATE: 1960/04/12

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 240FT

51N 27W 27

DEPTH TO BED: 50FT

UTM X UTM Y
424,950.93 4,338,868.89
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1.5 MI NE OF LEXINGTON - some discrepancy on whether this well is located in RAY or LAFAYETTE County - the geology alone indicates

S.W.L. (AFTER CASING):

LAFAYETTE